

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An odor trap for a waterless or low-flush urinal with a basin-shaped housing, said odor trap comprising:

an upper end which is connected ~~on an upper end~~ to an inlet ~~of the urinal~~ and ~~on a lower end~~ which is connected to an outlet that leads to a drain line; ~~with~~

a siphon insert that prevents the passage of gas from the outlet to the inlet, ~~wherein~~
~~asaid~~ siphon insert has including an overflow pipe with an overflow edge; ~~and~~

deodorizing means which is entirely located underneath the inlet and above said overflow edge in an essentially dry area of the odor trap; and

an inlet tube for draining liquid from the inlet toward said overflow edge, wherein said deodorizing means has a passage in a middle portion thereof for accommodating said inlet tube so that a liquid is able to travel from the inlet of the urinal and through said inlet tube without directly contacting said deodorizing means;

wherein the deodorizing means is not exposed to a flow of liquid when a liquid flows through said odor trap, and wherein the deodorizing means odorizes the air underneath the inlet in said essentially dry area, and

wherein said deodorizing means is covered by a cover which holds said deodorizing means in position in said odor trap.

2. (original): The odor trap according to claim 1, wherein the deodorizing means is a deodorizing insert.

3. (currently amended): The odor trap according to claim 2, wherein the deodorizing insert is located under athe cover.

4. (original): The odor trap according to claim 2, wherein the deodorizing insert is a solid body.

5. (original): The odor trap according to claim 4, wherein the solid body is a deodorizing block.

6. (original): The odor trap according to claim 2, wherein the deodorizing insert sits on a screen.

7. (original): The odor trap according to claim 6, wherein the screen, on its underside, has backwater means, by which ascending odors can be deflected outwardly.

8. (currently amended): The odor trap according to claim ~~4~~2, wherein the outside of the deodorizing insert, together with the cover, form a circulation space for un-deodorized air.

9. (currently amended): The odor trap according to claim 2, wherein the deodorizing insert is held in place by fins on athe cover.

10. (canceled).

11. (currently amended): The odor trap according to claim ~~1~~¹⁴, wherein the inlet pipe has a mouth on the lower end, below which there is an upwardly curving wall of a dip tube.

12. (original): The odor trap according to claim 1, wherein below the inlet there are circulation openings through which ascending air can circulate.

13. (original): The order trap according to claim 2, wherein the deodorizing insert is located in a replaceable siphon insert.

14. (original): The odor trap according to claim 1, wherein the inlet is located in a collecting basin which is inserted into a urinal basin.

15. (previously presented): The odor trap according to claim 14, wherein the siphon insert is located on the underside of the collecting basin, which forms a replaceable unit with the collecting basin.

16. (withdrawn): A siphon insert for an odor trap of a waterless or low-flush urinal with a basin-shaped housing connected on an upper end to an inlet and on a lower end to an outlet that leads to a drain line, with a siphon that prevents the passage of gas from the outlet to the inlet, wherein the siphon insert is a deodorizing insert

positioned in an upper and essentially dry area of the housing.

17. (withdrawn): The siphon insert according to claim 16, wherein the deodorizing insert is located underneath a cover.

18. (withdrawn): The siphon insert according to claim 16, wherein the deodorizing insert sits on a screen.